Office Memorandum • United States Government

то :	The Files	DATE: 2 Februa	DATE: 2 February 1960	
FROM:			25X1	
SUBJECT		- 28-29 January 1960	25 X 1	
	l. On 28 and 29 January 19 by the following per		25X1 25X1 25X1	
	The following ARF personnel were in attendance at various times depending on the subject being discussed:			
	Director of Research ssistant Director of Research - Assistant Director of Research - Assistant Supervisor, Electronic Instrumentation Supervisor, Electronic Interference - Supervisor, Communications, Applications, and Operational Research			
	2. It was the original intent of the visiting personnel to only discuss a couple of subjects of interest, but it became evident that had a multitude of capabilities and projects in areas closely 25X1 related to other Agency work and interest. is a completely self25X1 sufficient organization and is able to work in any category of the sciences. Also, the organization is set up primarily for investigation and design of the unusual and advancements in the state-of-the-art. They have no interest in production type work and do not carry any of their programs past the prototype model. They are presently doing research and development work on approximately 325 different projects, some ranging from one man year study and evaluation programs to multimillion dollar final hardware development programs. The following is a brief statement on some of the many programs that ARF is presently working on. Due to the complexity and time factor, many of the programs were not discussed in detail, but only enough information to judge if further interest was warranted was obtained. It is suggested that a round-table discussion of interested parties may be of benefit to supplement this report.			
	CONFIDENTIA	AL		

Sanitized Copy Approved for Release 2011/09/15 : CIA-RDP78-03424A002000030014-3

CONFIDENTIAL

CONTIDENTIAL				
SUBJEC	I: Visit to January		- 28-29	25X1
3. discus	. The following list some sed:	of the topic	s and projects that	c were
(6	Modulator Playback Heads was discussed in some de advancement in playback this type head is propor of-change of flux, the original is independent of the tarecord to playback speed achieved. The ratio lime the transport design. The desirable property of receptualization as needed we circuitry requirements as response.	tail and app techniques. tional to fli- putput amplifi- upe speed. Constant as is as high as itation is pro- the modulator lieving the re- ith velocity	ears to be a defini Since the output of the country	of en
	During the discussion of engineers pointed out the magnetometers. In fact, movements of demagnetized 3 to 4 feet. Also, the odetected at several feet.	they have on they have on screw drive	s make excellent occasion detected	25 X 1
(b)	Magnetic Tape Recording a A new technique for video discussed. An engineerin at a tape speed of 30 ips to refine the technique at 10 mc. This technical promagnetic Tape Recording at Information can be obtain	g model with has been bui nd extend upp oposal titled	response of 0 to 2 ilt. has a proper frequency to 5 il "Development of	•5 mc posal 25X1 or
	is interested in having this field. The reason it WADC, was that the Air For	ned upon required someone to was dropped	back further work by Aerial Reconnai	in 25X1
	felt that magnetic recording	as offered	by	and 25X1
	density storage. This is formerly with technique, stated that the quite a way to go before pof readout and difficultie also gave the impression to	on the thermoplast: erfection, producing	able. Mr. , thermoplastic recor ic technique still rimarily in the are	has

also gave the impression that other problem areas exist, but due to 25X1

, he was not prone to

discuss them.

CONFIDENTIAL

SUBJECT:	Visit to - 28-29 January	25 X 1
(c)	Module Design - As pointed out earlier, does not normally handle production type work, but under a special project for the Elgin Watch Company they were building up several AGC and video amplifier modules which appeared to be nicely packaged and designed.	25X1
(d)	Hall Elements - is doing extensive work in utilization and improved design of Hall elements. (Report titled "Principles and Application of Hall-Effect Devices" may be obtained upon request from the R+D section.) Some of the areas where Hall elements are presently being used at	25 X 1
	are in modulators, parametric amplifiers, and magnet- ometers. Magnetic field detector now under production will have a sensitivity of 10-7 gauss. Further information for magnetic field detection may be found in the following report: "Development of Techniques for Accurate Measurements of Magnetic Fields Between 30 cps and 30 mc, Final Report - 1 May 1958-1 December 1959, Contract No. NObsr-72-7777, Index No. NE-120,000, project No. E-103 contracted by the Bureau of Ships, Department of Navy, Washington 25, D.C. The cognizant Navy engineer is An additional item of interest was a circular ferrous loop 1 inch in diameter with a Hall element mounted on it, which when placed around a wire could detect as low as 1 microampere current in the wire anywhere from % DC to 50 KC.	25X1 25X1 25X1 25X1
	The Hall element output voltage is inversely proportional to the thickness of the element. Most elements at present use are 2 mils in thickness, but is working toward reducing this thickness with a goal of possibly .2 mils, thereby improving all element characteristics.	25 X 1
	Shielded Enclosures - is presently starting, under Navy contract, shielded room effectiveness and techniques of improvement. reports "Revision of Standards for Attenuation Measurements of Shielded Enclosures" and "Revision of Standards for Measurements of Shielding Effectiveness of Enclosures" for further information in this area are available upon request in the R+D Section.	25X1 25X1





SUBJECT:	Visit to	25X1
(f)	Missile Detection — is studying numerous techniques for pre-launch missile detection and post-launch detection. The pre-launch detection technique presently under investigation is pointed toward detection of magnetic field disturbance resulting from positioning the missile to vertical or raising it out of the bunker. Post-launch detection is aimed toward intercepting possibly, (1) RF energy generated by rocket exhaust (2) Perception static (3) The possible man-made EM environment around the rocket due to the telemetry This work is being performed for the Signal Corps.	25X1
(g)	Distant Meteorological Prediction - Presently studying techniques for detecting physical phenomena of a 2-mile cube at 50 miles distance by both active and a passive means.	
(h)	Antennas - A program is in work for studying ionized gas column antennas and the use of electronic scanning to replace mechanical scan.	
	Computer and Applications and Operations Research has on premises a Univac 1105 digital computer. (The organizational set-up of this section is attached. As the organizational chart indicates, they can handle all phases of computer operations, programming, analysis, and maintenance.) Also of interest is the standards group which has set up standards for the computer use, thereby preventing each person who utilizes the computer from using his own techniques. The programmer, once familiar with the standards, need only send his data by mail to the computer group and will have it returned in the finished form and his presence is never required.	25X1
(j)	Cross Correlation Techniques - as not developed any equipment for cross correlation operation, but they	25 X 1

- 4 -

March 1957 issue.

suggested several techniques which were noted by interested parties. Reference is made to "Journal of Applied Physics"



SUBJECT:	Visit to	25X1
(k)	Cartographatron - The cartographatron is an electronic plotting device which summarizes on a photographic negative any activity which has a high re-occurrence rate. It may be thought of as a densitometer which gives a visual indication of the density of an operational function over a desired area. It was developed by in particular for origin-destination traffic subut can be readily adapted to study the density of commodation operations, radar activity, transportation, and correlation. (A report on the cartographatron is avail in the R+D section if further information is desired.)	rveys, 25X1 muni-
(1)	Communications - Several studies are being conducted if the area of communications. One of interest is a studied for developing techniques allowing for comparing and evaluating communications equipment. It is hoped that the results will allow accurate determination of which type communications equipment is most desirable for a particular operation; also, if new equipment actually offers an improvement in already existing sites. A searea of interest is a study for increasing the number bits per second for the same bandwidth. is conducted for the Signal Corps a feasibility study for a .5 mc that is spectrum receiver. Also, under investigation is a analysis of the best methods for sending information or land lines and the amount of redundancy necessary. Communication techniques for use of AC power lines for communication purposes is being investigated at for Civil Defense.	cond of ting 25X1 o 40 n ver
(m)	Unconventional Power Sources — has built machines the 5, 10, 20, and 30 KW capacity. These machines wer on the order of 1 KW per 10 lbs. Work is also being d in electrostatic generators and other unique power sou	e one
(n)	Fiber Optics - has under development fiber optics. Their primary purpose at the present time is for codin and decoding techniques.	
(0)	Transducers - is not presently doing any developme work in the area of microphones, but they utilize commercially available units. They have, in the past, conducted studies for the Air Force in using audio for	
	- 5 -	

Sanitized Copy Approved for Release 2011/09/15 : CIA-RDP78-03424A002000030014-3

SUBJECT:	Visit to January 1	- 28-29	25X1

air-to-ground communications link, and as part of this program they studied atmospheric absorption of audio frequencies. The engineer for this section could see no complications, though, in developing and designing an ultrasonic communications link for distances of 100 feet or greater and utilization of wind, yibrations to modulate an ultrasonic carrier and recover it at distances of 150 feet. This would be much better than anything presently available or in study.

3. As the above would indicate, is involved in many programs of interest to the Agency. Also, it should be pointed out that the above only touches on a few of the projects that is presently 25X1 working on. In view of the fact that has tremendous technical 25X1 capability, broad interest, work only in areas of advanced techniques, and develop only limited numbers of any item, they are suited extremely well for much of the R+D activity of this organization. The Agency has a basic contract and cleared personnel with .

25X1


25X1

Attachments:

- 1. List of Computer Applications
- 2. Organizational Chart

Distribution:

R+D Subject File w/attachments R+D Lab w/o attachments SPS/AF w/o attachments Monthly (2) w/o attachments EP Chrono w/o attachments



CONFIDENTIAL

TECHNICAL AREAS

COMPUTER APPLICATIONS AND OPERATIONS RESEARCH

Contract Research PROBLEM ANALYSIS AND PROGRAMMING FOR DIGITAL COMPUTATION Engineering and scientific calculations
Simulation of complex systems
Management science calculations

OPERATIONS RESEARCH AND STATISTICS
Design of experiments
Analytical statistics
Probabilistic modeling
Information system studies
Game and queuing theory

MATHEMATICAL PROGRAMMING RESEARCH
Network optimization studies
Theory of computing algorithms
Linear and nonlinear programming
Dynamic programming
Statistical decision processes
Learning theory

UNIVAC 1105 SYSTEM STANDARDS

Programming systems and operating standards
Foundation staff training
Maintenance of subroutine library
Automatic programming system development

UNIVAC 1105 MAINTENANCE ENGINEERING

UNIVAC 1105 SYSTEM OPERATION

Sanitized Copy Approved for Release 2011/09/15 : CIA-RDP78-03424A002000030014-3

